



SINCE 1909
JAPAN



乾手機 Hand Dryer

NEW
ECO DRY



T09AC



T09BC



新特點 New Features

纖巧設計 Compact Design

與前型號比較，新型號的深度減少4.8%。纖巧的外形容許該產品可以很容易地安裝在狹小的洗手間。

As compared with previous model, the depth of new model is 4.8% reduced. The slim shape allows the product to be installed in narrow space of washroom easily.

寬敞乾手格空間 Spacious Drying Chamber

採用新開發噴嘴形狀和小型馬達，乾手格空間的深度及高度在體積上增加約28%。

此外，經過精心設計的乾手格形狀減低觸及其表面上的可能性。讓你有一個清潔的乾手過程。

By adopting newly developed nozzle shape and compact-sized motor, the depth and height of hand drying chamber are increased about 28% in volume.

In addition, the shape of drying chamber is carefully designed that the possibility of touching the inner surface of drying chamber is minimized. It allows you to have a clean hand drying process always.

*1 與前型號相比

*2 以T09AC的容量6.0L與前型號T09AB的4.7L相比

*1 As compared with previous models

*2 As compared with volume 6.0L of T09AC and 4.7L of previous model T09AB

產品深度
Product Depth
減少
4.8%
reduced^{*1}

乾手格空間
Space of
Drying Chamber
增加
28%
increased^{*2}

157mm
(新型號 New Model)
165mm
(前型號 Previous Model)

三路氣流速乾 Quick Drying with 3-way Airflow

擴散氣流噴嘴 Wide Nozzle

擴散氣流吹掉手掌上水滴
Blow off water droplets on the whole palm with wide airflow

集中氣流噴嘴 Spot Nozzle

集中氣流下摩擦雙手去除小水滴
Dry fine water droplets by rubbing hands with spot airflow

擴散及
集中氣流噴嘴
Wide & Spot
Nozzle

水箱容量
Water Tank
Capacity
增加
30%
increased^{*3}

可拆式排水箱 Detachable Drain Pan Unit

排水口可以從水箱拆下來清潔，容易保持衛生。與前型號比較，水箱容量增加約30%，清理時間相應減少。


Drain outlet can be detached from drain pan unit for cleaning that hygiene is easily maintained.

Capacity of water tank is about 30% increased as compared with previous model, that time for maintenance is reduced.

*3 以T09AC的水箱容量0.8L與前型號T09AB的0.6L相比

*3 As compared with water tank capacity 0.8L of T09AC and 0.6L of previous model T09AB

總成本比較 [每月] Total Cost Comparison (Monthly)



備註

以上計算是根據香港市場情況，只作參考用途

Remarks:
Data are based on Hong Kong Market situation and used for reference only

優點 Advantages



超級抗敏過濾網 Super alleru-buster Filter

- 透過超級抗敏過濾網確保吹出的氣流清潔
- The filter is equipped to ensure the air blow to your hand is clean

防菌物料 Anti-bacteria Material

- 外殼採用防菌物料，防止霉菌在洗手間的溫暖潮濕環境滋長。
- The product body is adopted with anti-bacteria material to prevent the growth of bacteria and germs in the warm and humid environment of washroom

運作安全 Safe Operation

- 當連續運轉60秒後，乾手機會停止。
- 當發熱器超出負荷時，安全指示燈會亮起。
- Eco Dry will stop after 60 seconds of continuous operation.
- "Check" indicator will light up when the unit detects overheated.

快速自動感應 Quick Response Sensor

- 使用者無須接觸任何按鈕，操作簡易快捷。
- Automatic sensor operation, no physical contact is required to activate the unit.

發熱器開關掣 Heater ON/OFF Switch

- 在夏天期間，關掉發熱器可減少能源消耗。
- Heater can be switched off for energy saving in hot season.

(T09AC 適用only)

附設水箱 Drain Pan

- 減少地面濕滑情況，避免意外發生。
- Drain pan can reduce water dripping on floor to avoid slippery

水滿指示 Full Tank Indicator

- 提醒水滿時清理積水
- Remind you for cleaning up the water tank when it is full



安裝容易 Easy Installation

- 附有掛牆金屬扣，安裝穩當
- 新穎及流線外觀配合室內設計
- Metallic bracket for wall hanging attached
- Stylish and streamline design fits most interior



每月成本計算 [每天使用50次] Cost Calculation Base On 50 Usage Per Day (US\$)

	物料成本 Material Cost	工資成本 Labor Cost	總成本 Total Cost
設有抹手紙之洗手間 Washroom with Paper Towel	每次使用 1張，每張約 \$0.0074 Paper towel costs \$0.0074/pieces 1 paper towels are used each time 每月成本 Monthly Cost = \$0.0074 x 50(usage) x 30(day) = \$11.10	工人時薪\$4.52，每天清潔 2 次 每次約 30分鐘 Labor cost for cleaning = \$4.52/hr Twice a day, 30 min./time = 30 hrs/month 每月成本 Monthly Cost = \$4.52 x 30 = \$135.60	物料成本 + 工資成本 Material Cost + Labor Cost = \$11.10 + \$135.60 = \$146.70
設有乾手機之洗手間 Washroom with Hand Dryer	每次使用 9秒，電費約 \$0.13每千瓦時 Power consumption costs \$0.13 per kwh Operates 9 sec. per usage = 0.0025 hr Cost/usage = \$0.13 x 0.0025 = \$0.00033 每月成本 Monthly Cost = \$0.00033 x 50(usage) x 30(day) = \$0.50	工人時薪\$4.52，每天清潔 1 次 每次約 15分鐘 Labor cost for cleaning = \$4.52/hr Once a day, 15 min./time = 7.5 hrs/month 每月成本 Monthly Cost = \$4.52 x 7.5 = \$33.90	物料成本 + 工資成本 Material Cost + Labor Cost = \$0.50 + \$33.90 = \$34.40

甚麼是超級抗敏過濾網? What is Super Alleru-Buster?

使用超級抗敏過濾網，可抑制多種不同過敏原的活動。

Super alleru-buster can inhibit up to several types of allergen

石碳酸聚合物 • 抗氧化物質
Phenolic Polymer • Polyphenol



過敏原
Allergen



包裹過敏原並抑制其活動
Absorb & inactivate allergens

環境保護 Environmental Friendly

大大減少濫用紙張的情況，對生態環境有極大幫助。

Avoiding irregular use of paper towels that favours the environment.



衛生 Hygiene

保持雙手乾爽及清潔
Keep your hands dry and hygienic.

清潔 Cleanliness

減少地面積水及抹手紙堆積如山的情況，令洗手間清潔衛生。
Wet floor and paper towel disposal will disappear after the installation of Hand Dryer.




T09AC

220V 50/60Hz 230V 50/60Hz

耗電量 Power Consumption [W]	發熱器開 Heater ON	1,020	1,070
	發熱器關 Heater OFF	650	700
風速 Air Velocity [m/s]		90 - 110	90 - 110
乾燥時間 [秒] Drying Time [second]		4 - 9	4 - 9
噪音 Noise [dB(A)]		62	62
水箱 Drain Pan	Yes		
重量 Weight [kg]	4		

Unit: mm




T09BC

220V 50/60Hz 230V 50/60Hz

耗電量 Power Consumption [W]	發熱器開 Heater ON	1,020	1,070
	發熱器關 Heater OFF	650	700
風速 Air Velocity [m/s]		90 - 110	90 - 110
乾燥時間 [秒] Drying Time [second]		4 - 9	4 - 9
噪音 Noise [dB(A)]		62	62
水箱 Drain Pan	No		
重量 Weight [kg]	3.5		

Unit: mm



KDK Company, Division of PES
4017, Takaki-cho, Kasugai, Aichi, Japan
<http://kdk.jp>

• 規格如有變更，恕不另行通知
• 實際顏色與本目錄會稍有差異
• Specifications are subject to change without prior notice.
• Actual colors may vary slightly from those shown.

SINCE 1909
JAPAN

CATALOG NO:K-HD006

Printed in Hong Kong

06.14